



## SNAP-N-GO DRINK HOLDER

## 1460

### PARTS INCLUDED

- 1 Snap-N-Go Drink Holder Ring
- 1 Beverage Carrier
- 1 1" Clamp Assembly
- 1 Hardware Kit
  - 1 1/4"-20 x 2-1/4" Hex Head Cap Screw
  - 1 M6 x 1 x 60MM Hex Head Cap Screw
  - 1 1/4"-20 x 2-1/2" Hex Head Cap Screw
  - 1 Spacer
  - 1 Clamp Accessory Mount Spacer
  - 1 1" Sleeve
  - 2 1/4" Wave Washers
  - 1 Aluminum Washer
  - 1 1/4"-20 Acorn Nut
- 1 Installation Instructions

Please read and understand entire instructions before starting installation.

### THANK YOU FOR CHOOSING KÜRYAKYN!

**IN ORDER TO PROTECT YOU AND OTHERS FROM POSSIBLE INJURY AND/OR PROPERTY DAMAGE OR LOSS, PLEASE PAY CLOSE ATTENTION TO ALL INSTRUCTIONS, WARNINGS, CAUTIONS AND NOTICES REGARDING THE USE AND CARE OF THIS PRODUCT.**

#### **WARNING**

**THIS INDICATION ALERTS YOU TO THE FACT THAT IGNORING THE CONTENTS DESCRIBED HEREIN CAN RESULT IN POTENTIAL DEATH OR SERIOUS INJURY.**

#### **NOTICE**

**This indication alerts you to the fact that ignoring the contents described herein may negatively affect product performance and functionality or damage the product itself or the product it is being attached to.**

#### **CAUTION**

**This indication alerts you to the fact that ignoring the contents described herein can result in minor or moderate potential injury.**

### TOOLS SUGGESTED

Set of Combination Wrenches, Set of Hex Wrenches, Set of Torx Wrenches

**STRICTLY OBSERVE THE FOLLOWING GUIDELINES IN ORDER TO USE THE PRODUCT PROPERLY AND AVOID POTENTIALLY DANGEROUS ACCIDENTS.**

#### **NOTICE**

**IF INSTALLING THIS PRODUCT FOR ANOTHER PARTY, PLEASE MAKE SURE THEY RECEIVE THIS COPY OF THE INSTALLATION INSTRUCTIONS SO THEY ARE AWARE OF THE IMPORTANT INFORMATION CONTAINED IN THEM.**

### STEP 1

Read and understand all steps in the instructions before starting the installation. Park the motorcycle on a hard, level surface and turn off the ignition.

**NOTE: Universal for 1" bar application, for clutch and brake perch applications. Universal Beverage Carrier will accept most average sized cups, cans, bottles, and mugs with a 2-3/8" to 3-1/2" diameter.**

### CUSTOMER SERVICE

877.370.3604 (toll free)

### INSTALLATION QUESTIONS

techsupport@kuryakyn.com  
or call 715.247.2983

### LIMITED WARRANTY

Kuryakyn warrants that any Kuryakyn products sold hereunder, shall be free of defects in materials and workmanship for a period of one (1) year from the date of purchase by the consumer excepting the following provisions:

- Kuryakyn shall have no obligation in the event the customer is unable to provide a receipt showing the date the customer purchased the product(s).
- The product must be properly installed, maintained and operated under normal conditions.
- Kuryakyn makes no warranty, expressed or implied, with respect to any gold plated products.
- Kuryakyn shall not be liable for any consequential and incidental damages, including labor and paint, resulting from failure of a Kuryakyn product, failure to deliver, delay in delivery, delivery in nonconforming condition, or for any breach of contract or duty between Kuryakyn and a customer.

• Kuryakyn products are often intended for use in specific applications. Kuryakyn makes no warranty if a Kuryakyn product is used in applications other than intended.

• Kuryakyn electrical products are warranted for one (1) year from the date of purchase by the consumer. L.E.D.'S contained in components of Kuryakyn products will be warranted for defects in materials and workmanship for 3 years from the date of purchase where as all other components shall be warranted for one(1) year. This includes, but is not limited to; control modules, wiring, chrome & other components.

• Kuryakyn makes no warranty of any kind in regard to other manufacturer's products distributed by Kuryakyn. Kuryakyn will pass on all warranties made by the manufacturer and where possible, will expedite the claim on behalf of the customer, but ultimately, responsibility for disposition of the warranty claim lies with the manufacturer.

### ABOUT OUR CATALOG

For purchasing Kuryakyn® products, you can receive a complete catalog free of charge.

Send the Proof-of-Purchase below with your address to: Kuryakyn, P.O. Box 339, Somerset, WI 54025.

Please indicate either Accessories Catalog for Harley-Davidson® or GL & Metric Cruisers.

Be sure to ask your local dealer about other Kuryakyn® products, the motorcycle parts and accessories designed for riders by riders.

©2005 Kuryakyn USA® All Rights reserved.



**CAUTION** Ensure that the installation of this product does not interfere with the proper operation of the motorcycle before riding.

**NOTICE** Avoid damage to the motorcycle. Protect painted surfaces with a soft cloth or blanket.

**NOTICE** It is the installer's responsibility to ensure that there is adequate clearance between the Snap-N-Go Holder and any painted surfaces. Küryakyn is not responsible for any damage due to inadequate clearance.

**NOTICE** Be aware of any cables/wires that could potentially be pinched or crushed while using this product.

**STEP 2** Place a clean, soft blanket over the gas tank to protect the paint.

**NOTE:** The Snap-N-Go Drink Holder has two different mounting options.

**MOUNT OPTION 1: Use the 1" clamp on the handle bar**

**STEP 3** Attach the Drink Holder 1" clamp to the handle bar with the two screws and nuts provided in the kit. PIC 1

**STEP 4** Install the 1/4-20 x 2-1/4" hex head cap screw, 1" sleeve, and a wave washer through the clamp. PIC 1

**STEP 5** Use another wave washer and the acorn nut to secure the bolt to the clamp. PIC 1

**STEP 6** Slide the Snap-N-Go Holder over the bolt and sleeve. Line up the head of the bolt with the cut out on the bottom side of the drink holder, and snap it into place.

**STEP 7** Turn the handlebars in both directions to their full stop position and ensure that there is clearance between the Snap-N-Go Holder and the gas tank, dash and other accessories.



**WARNING** ENSURE THAT THERE IS CLEARANCE AT ALL POINTS WHEN THE HANDLEBARS ARE TURNED, INSUFFICIENT CLEARANCE MAY CAUSE DAMAGE TO THE MOTORCYCLE OR CAN CAUSE LOSS OF CONTROL THAT COULD RESULT IN SEVERE INJURY OR DEATH.

**STEP 8** Tighten all hardware.

**WARNING** TO PREVENT POSSIBLE LOSS OF CONTROL, WHICH COULD RESULT IN A POSSIBLE INJURY OR DEATH, WE DO NOT RECOMMEND REMOVING AND REPLACING OBJECTS IN THE HOLDER WHILE RIDING THE MOTORCYCLE.

**NOTICE** Do not overload the Snap-N-Go Ring/Beverage Carrier with excessive weight.


**NOTICE** Ensure that the Snap-N-Go Ring is secure on the Mount and that the Mount is secure on the motorcycle. Küryakyn is not responsible for any belongings that are stolen or damaged from use of this Drink Holder or from the Snap-N-Go Ring or Mount not being properly secured to the motorcycle. It is the installer's responsibility to ensure that all of the fasteners (including pre-assembled) are tightened before operation of the motorcycle. Küryakyn will not provide warranty coverage on products or components lost due to improper installation or lack of maintenance. Periodic inspection and maintenance are required on all fasteners.



-cont.-

**MOUNT OPTION 2: Mounting to clutch or brake perch.**

- STEP 9** Remove the top fastener from the clutch or brake perch mount.
- STEP 10** Identify the correct screw, either the metric or standard, by comparing threads on the included hex head cap screws to the threads from the screws that were removed. The 1/4"-20 X 2-1/2" screw is used on Harleys and the M6 X 1.0 X 60mm on Metric bikes. Install the verified hex head cap screw with the 1" sleeve and aluminum spacers in place of the fastener that was removed in Step 9. PIC 2 Tighten securely.
- STEP 11** Slide the Snap-N-Go Drink Ring over the bolt and sleeve then line up the head of the hex head cap screw with the cut out on the bottom side of the drink holder, and snap it into place.
- STEP 12** Turn the handlebars in both directions to their full stop position and ensure that there is clearance between the Snap-N-Go Holder and any component on the bike.



**WARNING** ENSURE THAT THERE IS CLEARANCE AT ALL POINTS WHEN THE HANDLEBARS ARE TURNED, INSUFFICIENT CLEARANCE MAY CAUSE DAMAGE TO THE MOTORCYCLE OR CAN CAUSE LOSS OF CONTROL THAT COULD RESULT IN SEVERE INJURY OR DEATH.

**WARNING** TO PREVENT POSSIBLE LOSS OF CONTROL, WHICH COULD RESULT IN A POSSIBLE INJURY OR DEATH, WE DO NOT RECOMMEND REMOVING AND REPLACING OBJECTS IN THE HOLDER WHILE RIDING THE MOTORCYCLE.

**NOTICE** Do not overload the Snap-N-Go Ring/Beverage Carrier with excessive weight.

**NOTICE** Ensure that the Snap-N-Go Ring is secure on the Mount and that the Mount is secure on the motorcycle. Küryakyn is not responsible for any belongings that are stolen or damaged from use of this Drink Holder or from the Snap-N-Go Ring or Mount not being properly secured to the motorcycle. It is the installer's responsibility to ensure that all of the fasteners (including pre-assembled) are tightened before operation of the motorcycle. Küryakyn will not provide warranty coverage on products or components lost due to improper installation or lack of maintenance. Periodic inspection and maintenance are required on all fasteners.

**BEVERAGE CARRIER INSTALLATION**

- STEP 13** Hold the Beverage Carrier under the Drink Ring. As shown in PIC 3, each of the three straps will go around the drink ring from the outside to the inside.
- STEP 14** Snap each of the three arms to the snaps (PIC 3) located inside the drink holder.

**WARNING** TO PREVENT POSSIBLE LOSS OF CONTROL, WHICH COULD RESULT IN A POSSIBLE INJURY OR DEATH, WE DO NOT RECOMMEND REMOVING AND REPLACING OBJECTS IN THE HOLDER WHILE RIDING THE MOTORCYCLE.

**NOTICE** Do not overload the Snap-N-Go Ring/Beverage Carrier with excessive weight.

**NOTICE** Ensure that the Snap-N-Go Ring is secure on the Mount and that the Mount is secure on the motorcycle. Küryakyn is not responsible for any belongings that are stolen or damaged from use of this Drink Holder or from the Snap-N-Go Ring or Mount not being properly secured to the motorcycle. It is the installer's responsibility to ensure that all of the fasteners (including pre-assembled) are tightened before operation of the motorcycle. Küryakyn will not provide warranty coverage on products or components lost due to improper installation or lack of maintenance. Periodic inspection and maintenance are required on all fasteners.